

Current version: 4.0.0, issued: 16.07.2019 Reglaced version: 3.2.0, issued: 05.02.2019 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

SCANDIQUICK B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Hardener

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

SCAN-DIA GmbH

Luetkenheider Strasse 11 58099 Hagen

Germany

Telephone no. +49 (0) -2331-62469-0 Fax no. +49 (0) -2331-62469-29 e-mail info@scan-dia.com

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Irrit. 2; H319 Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms





GHS02

Signal word

Dangei

Hazardous component(s) to be indicated on label:

benzyl-methacrylate



Trade name: SCANDIQUICK B

Current version: 4.0.0, issued: 16.07.2019 Reglaced version: 3.2.0, issued: 05.02.2019 Region: GB

methyl-methacrylate ethylene dimethacrylate

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Hazard statements (EU)

EUH208 Contains 2-(2H-benzotriazol-2-yl)-p-cresol. May produce an allergic reaction.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 Wear protective gloves/protective clothing/eye protection.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Addit	Additional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conc	entration	%
	REACH no				
1	benzyl-methacrylat	e			
	2495-37-6	Eye Irrit. 2; H319	>=	25.00 - < 50.00	%-b.w.
	219-674-4	Skin Irrit. 2; H315			
	-	STOT SE 3; H335			
	01-2119960155-39	Skin Sens. 1B; H317			
2	methyl-methacrylat				
	80-62-6	Flam. Liq. 2; H225	>=	25.00 - < 50.00	%-b.w.
	201-297-1	Skin Irrit. 2; H315			
	607-035-00-6	Skin Sens. 1; H317			
	01-2119452498-28	STOT SE 3; H335			
3	ethylene dimethacr				
	97-90-5	Skin Sens. 1; H317	<	5.00	%-b.w.
	202-617-2	STOT SE 3; H335			
	607-114-00-5				
	01-2119965172-38				
4	2,2'-[(4-methylphen	yl)imino]bisethanol			
	3077-12-1	Acute Tox. 4; H302	<	2.50	%-b.w.
	221-359-1	Acute Tox. 4; H312			
	-	Eye Dam. 1; H318			
	-	Aquatic Chronic 3; H412			
5	2-methylpropenoic	acid, methacrylic acid			
	79-41-4	Acute Tox. 4; H302	<	2.50	%-b.w.
	201-204-4	Acute Tox. 3; H311			
	607-088-00-5	Acute Tox. 4; H332			
	01-2119463884-26	Skin Corr. 1A; H314			
		STOT SE 3; H335			
6	2-(2H-benzotriazol-	2-yl)-p-cresol			



Trade name: SCANDIQUICK B

Current version: 4.0.0, issued: 16.07.2019 Reglaced version: 3.2.0, issued: 05.02.2019 Region: GB

2440-22-4	Aquatic Chronic 4; H413	<	0.50	%-b.w.
219-470-5	Skin Sens. 1; H317			
-				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	STOT SE 3; H335: C >= 10%	-	-
2	D	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when sickness symptoms persist, seek medical attention. Remove contaminated clothing immediately and dispose of safely.

After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

After skin contact

In case of contact with skin wash off immediately with copious amounts of water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart and seek medical advice.

After ingestion

Call a doctor immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

Headache; reddening of the skin; Methaemoglobinaemia; liver damage

4.3 Indication of any immediate medical attention and special treatment needed

In case oft changes in skin color, bluish fingernails or lips (cyanosis), administer oxygen.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder; Foam; Carbon dioxide

Unsuitable extinguishing media

Water

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; Nitrogen oxides (NOx)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Cool endangered containers with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Exclude sources of ignition and ventilate the area. Avoid contact with skin, eyes and clothing. Use breathing apparatus if exposed to vapours/dust/aerosol.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.



Current version: 4.0.0, issued: 16.07,2019 Replaced version: 3.2.0, issued: 05.02,2019 Region: GB

6.2 Environmental precautions

Do not allow to enter drains or waterways. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g., general-purpose binder). Flush away residues with water. When picked up, treat material as prescribed under heading "Disposal considerations".

6.4 Reference to other sections

Information regarding safe handling, see chapter 7. Information regarding personal protective measures, see chapter 8. Information regarding waste disposal, see chapter 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). Take precautionary measures against electrostatic loading. Avoid eye, skin and clothing contact.

General protective and hygiene measures

Wash hands before breaks and after work. Keep away from food, drink and animal feeding stuffs. Do not eat or drink during work - no smoking. Provide eye wash fountain in work area. Avoid product contact with skin, eyes and clothing; Remove soiled or soaked clothing immediately. Do not inhale vapours.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Protect from heat and direct sunlight. Risk of polymerisation. Fill tank to only 80% of capacity; oxygen (air) is needed for stabilisation. In case of large storage tanks, provide for sufficient oxygen (air) supply to ensure stability. Keep container tightly closed in a cool, well-ventilated place, open and handle carefully.

Recommended storage temperature

Value max. 30 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Containers which are opened must be carefully closed and kept upright to prevent leakage.

Incompatible products

Do not store together with: oxidizing substances; spontaneously combusting substances; explosive substances

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	methyl-methacrylate	80-62-6		201-297-1	
	2009/161/EU				
	methyl methacrylate				
	WEL short-term (15 min reference period)			100	ppm
	WEL long-term (8-hr TWA reference period)			50	ppm
	List of approved workplace exposure limits (WELs) / E	EH40			
	Methyl methacrylate				
	WEL short-term (15 min reference period)	416	mg/m³	100	ppm
	WEL long-term (8-hr TWA reference period)	208	mg/m³	50	ppm
2	2-methylpropenoic acid, methacrylic acid	79-41-4		201-204-4	
	List of approved workplace exposure limits (WELs) / B	EH40			
	Methacrylic acid			_	



Trade name: SCANDIQUICK B

Current version: 4.0.0, issued: 16.07.2019 Replaced version: 3.2.0, issued: 05.02.2019 Region: GB

WEL short-term (15 min reference period)	143	mg/m³	40	ppm
WEL long-term (8-hr TWA reference period)	72	mg/m³	20	ppm

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no)
	Route of exposure	Exposure time	Effect	Value	
1	benzyl-methacrylate			2495-37-6 219-674-4	
	dermal	Long term (chronic)	systemic	6.94	mg/kg/day
	inhalative	Long term (chronic)	systemic	24.2	mg/m³
2	methyl-methacrylate			80-62-6	
				201-297-1	
	dermal	Short term (acut)	local	1.5	mg/cm ²
	dermal	Long term (chronic)	systemic	13.67	mg/kg
	dermal	Long term (chronic)	local	1.5	mg/cm ²
	inhalative	Long term (chronic)	systemic	208	mg/m³
	inhalative	Long term (chronic)	local	208	mg/m³
3	2-methylpropenoic acid, ı	methacrylic acid		79-41-4	
		-		201-204-4	
	dermal	Long term (chronic)		11.4	mg/kg/day
	inhalative	Long term (chronic)		30	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	benzyl-methacrylate			2495-37-6 219-674-4	
	oral	Long term (chronic)	systemic	4.17	mg/kg/day
	dermal	Long term (chronic)	systemic	4.17	mg/kg/day
	inhalative	Long term (chronic)	systemic	7.2	mg/m³
2	methyl-methacrylate			80-62-6	
				201-297-1	
	dermal	Short term (acut)	local	1.5	mg/cm ²
	dermal	Long term (chronic)	systemic	8.2	mg/kg
	dermal	Long term (chronic)	local	1.5	mg/cm ²
	inhalative	Long term (chronic)	systemic	74.3	mg/m³
	inhalative	Long term (chronic)	local	104	mg/m³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	benzyl-methacrylate		2495-37-6	
			219-674-4	
	water	fresh water	0.0216	mg/L
	water	marine water	0.00216	mg/L
	water	Aqua intermittent	0.0228	mg/L
	water	fresh water sediment	0.888	mg/kg dry weight
	water	marine water sediment	0.0888	mg/kg dry weight
	soil	-	0.165	mg/kg dry weight
	sewage treatment plant	-	1.31	mg/L
2	methyl-methacrylate		80-62-6	
			201-297-1	
	water	fresh water	0.94	mg/L
	water	marine water	0.94	mg/L
	water	Aqua intermittent	0.94	mg/L
	water	fresh water sediment	5.74	mg/kg
	soil	-	1.47	mg/kg



Current version: 4.0.0, issued: 16.07.2019 Region: 3.2.0, issued: 05.02.2019 Region: GB

	sewage treatment plant	-	10	mg/L
3	2-methylpropenoic acid, methacrylic acid		79-41-4	
			201-204-4	
	water	-	0.82	mg/L

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, local exhaust at the work station if necessary.

Personal protective equipment

Respiratory protection

Breathing apparatus in the event of aerosol or mist formation.

Respirator A2

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Protective gloves (EN 374); Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber Appropriate Material PE / EVAL

Breakthrough time < 150 min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour					
liquid					
light					
Odour					
pungent					
Odour threshold					
No data available					
pH value					
No data available					
Boiling point / boiling range					
Value	appr.	100	°C		
Melting point / melting range					
No data available					
Decomposition point / decomposition r	ange				
No data available					
Flash point					
Value		22	°C		
Auto-ignition temperature					
No data available				 -	
Oxidising properties					
No data available					
Explosive properties					



Trade name: SCANDIQUICK B

Current version: 4.0.0, issued: 16.07.2019 Region: 3.2.0, issued: 05.02.2019 Region: GB

No data available

Flammability (solid, gas)

No data available

Lower flammability or explosive limits

No data available

Upper flammability or explosive limits

No data available

Vapour pressure			
Value	>	40	hPa
Reference temperature		20	°C

Vapour density			
Value	>	1	
Reference temperature		20 °C	

Evaporation rate

No data available

Relative density

No data available

Density	
Value	1 g/cm ³
Reference temperature	20 °C

Solubility in water

No data available

Solubility(ies)

No data available

Part	Partition coefficient: n-octanol/water						
No	Substance name		CAS no.		EC no.		
1	benzyl-methacrylate		2495-37-6		219-674-4		
log Pow				3.1			
Refe	erence temperature			20	°C		
Method		OECD 117					
Sou	rce	ECHA					

Viscosity	
Value	3 mPa*s
Reference temperature	20

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Product reacts with: Oxidizing agents; heavy metal compounds; Reducing agents; Peroxides



Trade name: SCANDIQUICK B

Current version: 4.0.0, issued: 16.07.2019 Replaced version: 3.2.0, issued: 05.02.2019 Region: GB

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)						
No	Product Name	Product Name					
1	SCANDIQUICK B						
Com	nments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).					

A 011	Apute aval tavisity					
	te oral toxicity		010		F0	
No	Substance name		CAS no.		EC no.	
1	benzyl-methacrylate		2495-37-6		219-674-4	
LD5	0			4450	mg/kg bodyweight	
Spec	cies	rat				
Meth	nod	OECD 401				
Soul	rce	ECHA				
2	methyl-methacrylate		80-62-6		201-297-1	
LD5	0	>		5000	mg/kg bodyweight	
Spec	cies	rat				
Meth	nod	OECD 401				
Soul	rce	Manufacturer				
3	ethylene dimethacrylate		97-90-5		202-617-2	
LD5	0	appr.		8300	mg/kg bodyweight	
Spec	cies	rat				
Meth	nod	OECD				
Soul	rce	ECHA				
4	2-methylpropenoic acid, methacrylic acid	k	79-41-4		201-204-4	
LD5	0			1320	mg/kg bodyweight	
Spec	cies	rat				
Meth	nod	OECD 401				
Soul	rce	ECHA				

Acu	Acute dermal toxicity (result of the ATE calculation for the mixture)					
No	Product Name					
1	SCANDIQUICK B					
Com	iments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE dermal > 2000 mg/kg).				

Acu	Acute dermal toxicity						
No	Substance name		CAS no.		EC no.		
1	benzyl-methacrylate		2495-37-6		219-674-4		
LD5	0	>		2000	mg/kg bodyweight		
Spe	cies	rat					
Meth	Method		B.3.				
Soul	ce	ECHA					
2	methyl-methacrylate		80-62-6		201-297-1		
LD5	0	>		5000	mg/kg bodyweight		
Spec	cies	rabbit					
Meth	nod	OECD 402					
Soul	ce	ECHA					
3	ethylene dimethacrylate		97-90-5		202-617-2		
LD5	0	>		2001	mg/kg bodyweight		
Spe	cies	rat					



Trade name: SCANDIQUICK B

Current version: 4.0.0, issued: 16.07.2019 Replaced version: 3.2.0, issued: 05.02.2019 Region: GB

Met Sou		OECD 402 ECHA			
4	2-methylpropenoic acid, methacrylic acid	k	79-41-4		201-204-4
LD5	50	500	-	1000	mg/kg bodyweight
Spe	cies	rabbit			
Sou	rce	ECHA			

Acu	Acute inhalational toxicity (result of the ATE calculation for the mixture)					
No	Product Name					
1	SCANDIQUICK B					
Com	nments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists).				

Acu	Acute inhalational toxicity						
No	Substance name		CAS no.		EC no.		
1	methyl-methacrylate		80-62-6		201-297-1		
LC5	0			29.8	mg/l		
Dura	ation of exposure			4	h		
State	State of aggregation						
Spec	cies	rat					
Soul	rce	ECHA					
2	2-methylpropenoic acid, methacrylic acid	t	79-41-4		201-204-4		
LC5	0			7.1	mg/l		
Dura	ation of exposure			4	h		
State of aggregation		Vapour					
Species		rat					
		OECD 403					
Soul	rce	ECHA					

Skin	Skin corrosion/irritation							
No	Substance name	CAS no.	EC no.					
1	methyl-methacrylate	80-62-6	201-297-1					
Species rabbit								
Soul	rce	Manufacturer						
Evaluation Iow-irritant								
Eval	Evaluation/classification Based on available data, the classification criteria are met.							

Seri	Serious eye damage/irritation						
No	Substance name		CAS no.	EC no.			
1	benzyl-methacrylate		2495-37-6	219-674-4			
Spe	cies	rabbit					
Meth	nod	OECD 405					
Sou	Source						
Eval	uation	non-irritant					
2	methyl-methacrylate		80-62-6	201-297-1			
Spe	cies	rabbit					
Source		Manufacture	r				
Eval	Evaluation low-irrita						
Eval	uation/classification	Based on ava	ailable data, the cla	ssification criteria are not met.			

Res	Respiratory or skin sensitisation					
No	Substance name		CAS no.	EC no.		
1	benzyl-methacrylate		2495-37-6	219-674-4		
Rout	e of exposure	Skin				
Spec	cies	mouse				
Meth	nod	OECD 429				
Sour	ce	ECHA				
Eval	uation	sensitizing				
2	methyl-methacrylate	_	80-62-6	201-297-1		
Rout	e of exposure	Skin				



Trade name: SCANDIQUICK B

Current version: 4.0.0, issued: 16.07.2019 Replaced version: 3.2.0, issued: 05.02.2019 Region: GB

Species	mouse
Method	OECD 429
Source	ECHA
Evaluation	sensitizing

Germ cell mutagenicity							
No	Substance name	CAS no.	EC no.				
1	benzyl-methacrylate	2495-37-6	219-674-4				
Sou	rce	ECHA					
Eval	uation/classification	Based on available data, the classif	fication criteria are not met.				

Reproduction toxicity						
No	Substance name	CAS no.	EC no.			
1	benzyl-methacrylate	2495-37-6	219-674-4			
Source		ECHA				
Eval	uation/classification	Based on available data, the classification	n criteria are not met.			

Carcinogenicity	
No data available	

STOT - single exposure No data available

STO	STOT - repeated exposure						
No	Substance name	CAS no.	EC no.				
1	benzyl-methacrylate	2495-37-6	219-674-4				
Rou	te of exposure	oral					
Spec	cies	rat					
Method		OECD 422					
Source		ECHA					
Eval	uation/classification	Based on available data, the classification	n criteria are not met.				

Aspiration hazard
No data available

SECTION 12: Ecological information

12.1 Toxicity

Tox	icity to fish (acute)			
No	Substance name	CAS no.		EC no.
1	benzyl-methacrylate	2495-37-6		219-674-4
LC5	0		4.67	mg/l
Dura	ation of exposure		96	h
Spe	cies	Pimephales promelas		
Meth	nod	OECD 203		
Sou	rce	ECHA		
2	methyl-methacrylate	80-62-6		201-297-1
LC5	0	>	79	mg/l
Dura	ation of exposure		96	h
Spe	cies	Oncorhynchus mykiss		
Meth	nod	OECD 203		
Sou	rce	ECHA		

Toxicity to fish (chronic) No data available

Tox	Toxicity to Daphnia (acute)						
No	Substance name	CAS no.		EC no.			
1	methyl-methacrylate	80-62-6		201-297-1			
EC5	0		69	mg/l			
Dura	ation of exposure		48	h			
Species		Daphnia magna					
Method		OECD 202					
Sou	rce	ECHA					



Trade name: SCANDIQUICK B

Current version: 4.0.0, issued: 16.07.2019 Replaced version: 3.2.0, issued: 05.02.2019 Region: GB

Tox	Toxicity to Daphnia (chronic)						
No	Substance name	CAS no.		EC no.			
1	benzyl-methacrylate	2495-37-6		219-674-4			
NOE	:C		4.21	mg/l			
Dura	ation of exposure		21	day(s)			
Spe	cies	Daphnia magna					
Meth	nod	OECD 211					
Sou	rce	ECHA					

Toxi	oxicity to algae (acute)					
No	Substance name	CAS no.		EC no.		
1	benzyl-methacrylate	2495-37-6		219-674-4		
EC5	0		2.28	mg/l		
Dura	ation of exposure		72	h		
Species		Desmodesmus subspicatus				
Meth	nod	OECD 201				
Soul	ce	ECHA				
2	methyl-methacrylate	80-62-6		201-297-1		
EC5	0	>	110	mg/l		
Dura	ation of exposure		72	h		
Species		Selenastrum capricornutum				
Meth	nod	OECD 201				
Soul	ce	ECHA				

Toxicity to algae (chronic)
No data available

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

Biod	Biodegradability								
No	Substance name	CAS no.		EC no.					
1	benzyl-methacrylate	2495-37-6		219-674-4					
Туре	e	aerobic biodegradation							
Value			74	%					
Duration			28	day(s)					
Method		OECD 301 B							
Source		ECHA							
Eval	uation	readily biodegradable							
2	methyl-methacrylate	80-62-6		201-297-1					
Value			94	%					
Duration			14	day(s)					
Method		OECD 301 C							
Source		ECHA							
Evaluation		readily biodegradable							

12.3 Bioaccumulative potential

Part	Partition coefficient: n-octanol/water						
No	Substance name		CAS no.	EC no.			
1	benzyl-methacrylate		2495-37-6	219-674-4			
log F	log Pow		3.1				
Refe	erence temperature		20	°C			
Method		OECD 117					
Source		ECHA					

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.



Trade name: SCANDIQUICK B

Current version: 4.0.0, issued: 16.07.2019 Reglaced version: 3.2.0, issued: 05.02.2019 Region: GB

12.7 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Remove in accordance with local offical regulations.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 3
Classification code F1
Packing group II
Hazard identification no. 33
UN number UN1993

Proper shipping name FLAMMABLE LIQUID, N.O.S.

Technical name methyl-methacrylate

Special Provision 640 640D Tunnel restriction code D/E Label 3

14.2 Transport IMDG

Class 3
Packing group II
UN number UN1993

Proper shipping name FLAMMABLE LIQUID, N.O.S.

Technical name methyl-methacrylate

EmS F-E, Ś-E Label 3

14.3 Transport ICAO-TI / IATA

Class 3
Packing group II
UN number UN1993

Proper shipping name Flammable liquid, n.o.s. Technical name methyl-methacrylate

Label 3

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



Current version: 4.0.0, issued: 16.07.2019 Reglaced version: 3.2.0, issued: 05.02.2019 Region: GB

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe No 3, 40 XVII.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category: Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has been carried out for the following substance/s in this mixture:

CAS no. 2495-37-6; 80-62-6; 97-90-5; 79-41-4 EC no. 219-674-4; 201-297-1; 202-617-2; 201-204-4

SECTION 16: Other information

Sources of key data used to compile the data sheet:

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.
H413 May cause long lasting harmful effects to aquatic life.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

Certain substances which are susceptible to spontaneous polymerisation or

decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

Department issuing safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.



Trade name: SCANDIQUICK B

Current version: 4.0.0, issued: 16.07.2019 Replaced version: 3.2.0, issued: 05.02.2019 Region: GB

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 639439