

Trade name: SCANDIQUICK A

Current version : 4.0.3, issued: 18.01.2023

Replaced version: 4.0.2, issued: 01.11.2022

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

SCANDIQUICK A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Materialographic embeddings

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

SCAN-DIA GmbH

Luetkenheider Strasse 11

58099 Hagen

Germany

Telephone no. +49 (0) -2331-62469-0

Fax no. +49 (0) -2331-62469-29

e-mail info@scan-dia.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 2; H411

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS09

Signal word

-

Hazard statement(s)

H411 Toxic to aquatic life with long lasting effects.

Hazard statements (EU)

EUH208 Contains methyl-methacrylate, dibenzoyl peroxide. May produce an allergic reaction.

Precautionary statement(s)

EU safety data sheet

Trade name: SCANDIQUICK A

Current version : 4.0.3, issued: 18.01.2023

Replaced version: 4.0.2, issued: 01.11.2022

Region: GB

P273 Avoid release to the environment.
P391 Collect spillage.
P501 Dispose of contents/container to a facility in accordance with local and national regulations.

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Acrylic polymer

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration
1	methyl-methacrylate		%
	80-62-6 201-297-1 607-035-00-6 -	Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335	< 2.50 wt%
2	dibenzoyl peroxide		
	94-36-0 202-327-6 617-008-00-0 01-2119511472-50	Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 2.50 wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	D	-	-	-
2	-	-	M = 10	M = 10

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

After skin contact

Trade name: SCANDIQUICK A

Current version : 4.0.3, issued: 18.01.2023

Replaced version: 4.0.2, issued: 01.11.2022

Region: GB

In case of contact with skin wash off immediately with copious amounts of water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). In case of irritation consult an ophthalmologist.

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

In some cases intoxication symptoms may only occur after a long time / several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Dry chemical extinguisher; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; In case of combustion evolution of dangerous gases possible. organic crack products

5.3 Advice for firefighters

Wear full protective suit. Use self-contained breathing apparatus. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Run-off water from fire fighting must not be discharged into drains or enter surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in sections 7 and 8. Use breathing apparatus if exposed to vapours/dust/aerosol. Ensure adequate ventilation. Avoid dust formation.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Collect mechanically. Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Avoid the formation and deposition of dust. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

Trade name: SCANDIQUICK A

Current version : 4.0.3, issued: 18.01.2023

Replaced version: 4.0.2, issued: 01.11.2022

Region: GB

General protective and hygiene measures

Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Keep away from food, drink and animal feeding stuffs. Do not inhale dust.

Advice on protection against fire and explosion

Dust can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from atmospheric moisture and water. Protect from sun.

Recommended storage temperature

Value max. 30 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed.

Incompatible products

Do not store together with: oxidizing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	dibenzoyl peroxide	94-36-0	202-327-6
List of approved workplace exposure limits (WELs) / EH40			
Dibenzoyl peroxide			
	WEL long-term (8-hr TWA reference period)	5	mg/m ³

DNEL, DMEL and PNEC values**DNEL values (worker)**

DNEL values (worker)					
No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	dibenzoyl peroxide			94-36-0 202-327-6	
	dermal	Long term (chronic)	systemic	13.3	mg/kg bw/day
	dermal	Long term (chronic)	local	34	µg/cm²
	inhalative	Long term (chronic)	svstemic	39	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	dibenzoyl peroxide			94-36-0 202-327-6	
	oral	Long term (chronic)	systemic	2	mg/kg bw/day

PNEC values

PNEC values			
No	Substance name		CAS / EC no
	ecological compartment	Type	Value
1	dibenzoyl peroxide		94-36-0 202-327-6
	water	fresh water	0.02 µg/L
	water	marine water	0.002 µg/L
	water	fresh water sediment	0.013 mg/kg dry weight

EU safety data sheet

Trade name: SCANDIQUICK A

Current version : 4.0.3, issued: 18.01.2023

Replaced version: 4.0.2, issued: 01.11.2022

Region: GB

	water	marine water sediment	0.001	mg/kg dry weight
	soil	-	0.003	mg/kg dry weight
	sewage treatment plant	-	0.35	mg/L
	secondary poisoning	mammalian	6.67	mg/kg
	with reference to: food			

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Short term: filter apparatus, Filter P2

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Use protective gloves (DIN EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material neoprene

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	
solid	
Form	
solid; Powder	
Colour	
white	
Odour	
weak	
pH value	
No data available	
Boiling point / boiling range	
Not applicable	
Melting point/freezing point	
No data available	
Decomposition temperature	
No data available	
Flash point	
Value	> 250 °C
Reference substance	main components
Ignition temperature	

EU safety data sheet

Trade name: SCANDIQUICK A

Current version : 4.0.3, issued: 18.01.2023

Replaced version: 4.0.2, issued: 01.11.2022

Region: GB

No data available			
Flammability			
No data available			
Lower explosion limit			
No data available			
Upper explosion limit			
No data available			
Vapour pressure			
No data available			
Relative vapour density			
No data available			
Relative density			
No data available			
Density			
Value	1.13 g/cm³		
Reference temperature	20 °C		
Reference substance	main components		
Bulk density			
Value	600 - 650 kg/m³		
Reference temperature	20 °C		
Reference substance	main components		
Solubility in water			
Comments	insoluble		
Solubility			
No data available			
Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	dibenzoyl peroxide	94-36-0	202-327-6
log Pow	3.2		
Reference temperature	22		°C
Method	OECD 107		
Source	ECHA		
Kinematic viscosity			
No data available			
Particle characteristics			
No data available			

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Depolymerisation starting at 250 °C.

Trade name: SCANDIQUICK A

Current version : 4.0.3, issued: 18.01.2023

Replaced version: 4.0.2, issued: 01.11.2022

Region: GB

10.5 Incompatible materials

Oxidizing agents; To protect against moisture (air).

10.6 Hazardous decomposition products

None if stored, handled and transported properly. Thermal decomposition of the product may produce toxic fumes / gases.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	dibenzoyl peroxide	94-36-0	202-327-6
LD50	>	2000	mg/kg bodyweight
Species	mouse		
Method	OECD 401		
Source	ECHA		
Acute dermal toxicity			
No data available			
Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	dibenzoyl peroxide	94-36-0	202-327-6
LC50		24.3	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
Method	OECD 403		
Source	ECHA		
Skin corrosion/irritation			
No data available			
Serious eye damage/irritation			
No data available			
Respiratory or skin sensitisation			
No data available			
Germ cell mutagenicity			
No data available			
Reproduction toxicity			
No data available			
Carcinogenicity			
No data available			
STOT - single exposure			
No data available			
STOT - repeated exposure			
No data available			
Aspiration hazard			
No data available			
Symptoms related to the physical, chemical and toxicological characteristics			
The product can cause skin and eye irritation.			
Delayed and immediate effects as well as chronic effects from short and long-term exposure			
Possibility of sensitisation through skin contact. Inhalation may lead to irritation of the respiratory tract.			

11.2 Information on other hazards

EU safety data sheet

Trade name: SCANDIQUICK A

Current version : 4.0.3, issued: 18.01.2023

Replaced version: 4.0.2, issued: 01.11.2022

Region: GB

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	dibenzoyl peroxide	94-36-0	202-327-6
LC50		0.0602	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		

Toxicity to fish (chronic)			
No data available			

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	dibenzoyl peroxide	94-36-0	202-327-6
EC50		0.11	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Toxicity to Daphnia (chronic)			
No data available			

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	dibenzoyl peroxide	94-36-0	202-327-6
EC50		0.071	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		

Toxicity to algae (chronic)			
No data available			

Bacteria toxicity			
No	Substance name	CAS no.	EC no.
1	dibenzoyl peroxide	94-36-0	202-327-6
EC50		35	mg/l
Duration of exposure		30	min
Method	OECD 209		
Source	ECHA		

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	dibenzoyl peroxide	94-36-0	202-327-6
Value		71	%
Duration		28	d
Method	OECD 301 D		
Source	ECHA		
Evaluation	readily biodegradable		

EU safety data sheet

Trade name: SCANDIQUICK A

Current version : 4.0.3, issued: 18.01.2023

Replaced version: 4.0.2, issued: 01.11.2022

Region: GB

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	dibenzoyl peroxide	94-36-0	202-327-6
log Pow		3.2	
Reference temperature		22	°C
Method		OECD 107	
Source		ECHA	

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment.
Do not allow to enter soil, waterways or waste water canal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	9
Classification code	M7
Packing group	III
Hazard identification no.	90
UN number	UN3077
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Technical name	dibenzoyl peroxide
Tunnel restriction code	-
Label	9
Environmentally hazardous substance mark	Symbol "fish and tree"

EU safety data sheet

Trade name: SCANDIQUICK A

Current version : 4.0.3, issued: 18.01.2023

Replaced version: 4.0.2, issued: 01.11.2022

Region: GB

14.2 Transport IMDG

Class	9
Packing group	III
UN number	UN3077
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Technical name	dibenzoyl peroxide
EmS	F-A, S-F
Label	9
Marine pollutant mark	Symbol "fish and tree"

14.3 Transport ICAO-TI / IATA

Class	9
Packing group	III
UN number	UN3077
Proper shipping name	Environmentally hazardous substance, solid, n.o.s.
Technical name	dibenzoyl peroxide
Label	9
Environmentally hazardous substance mark	Symbol "fish and tree"

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	dibenzoyl peroxide	94-36-0	202-327-6	75
2	methyl-methacrylate	80-62-6	201-297-1	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:

E2

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

Trade name: SCANDIQUICK A

Current version : 4.0.3, issued: 18.01.2023

Replaced version: 4.0.2, issued: 01.11.2022

Region: GB

SECTION 16: Other information

Sources of key data used to compile the data sheet:

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H225	Highly flammable liquid and vapour.
H241	Heating may cause a fire or explosion.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

D	Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.
---	--

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.
Prod-ID 639426